

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

07/07/2011

Christina Corda
Assistant District Attorney, Suffolk County

Dear ADA Corda,

Enclosed is the information you requested in regards to Commonwealth vs. [REDACTED] Included are copies of the following:

1. Curriculum Vitae for Annie Dookhan and Della Saunders.
2. Drug Analysis Laboratory Receipt.
3. Control Cards with analytical results for samples # [REDACTED]
4. Analysis sheets with custodial chemist's hand notations and test results.
5. GC/Mass Spectral analytical data for samples # [REDACTED]

Annie Dookhan was the custodial chemist and performed the preliminary testing and net weight for this sample. Della Saunders was the confirmatory chemist and analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Annie Dookhan".

Annie Dookhan
Chemist II
Drug Analysis Lab
Jamaica Plain, MA. 02130
(617) 983-6631

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry.

University of Massachusetts, Boston, Ma, Bachelor of Science in Biochemistry.

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health, 2004.

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Maintenance and repairs of all analytical instruments.

*Responsible for the Quality Control of all analytical instruments, reagents and controls/standards.

*Responsible for the Quality Control/Quality Assurance program for the drug lab.

*Notary Public.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MLB Quality Control and Quality Assurance Department.

*Method Development for creating new techniques and enhancing vaccines for the QC Dept. and FDA.

*Writing, revising and reviewing Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Training:

Dept. of Justice – Forensics Professionals. (numerous trainings)

GLP/GMP course with Massachusetts Biologic Laboratory.

QC/QA training according to FDA Codes and Regulations.

GC and GC/MS courses with Agilent Technologies and Restek.

HPLC course with Waters Cooperation.

FTIR course with Spectros.

TOC training with MBL and Sievers.

Association:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

Curriculum Vitae

Della Saunders

Education:

Boston University Boston, MA. Bachelors of Arts in Chemistry 1982

Experience:

1985-present: Currently Chemist III Massachusetts Department of Public Health Drug Analysis Laboratory at State Laboratory Institute Boston, MA. Responsible for analyzing unknown substances submitted by Massachusetts law enforcement agencies; operating, maintaining, and interpreting data from analytical equipment (analytical balance, microscope, gas chromatogram, ultraviolet spectrometer, infrared spectrometer, gas chromatogram/mass spectrometer); training junior level chemists; providing expert testimony to local, state, and federal courts in the Commonwealth of Massachusetts.

1984-1985: Laboratory Technician in the Media Laboratory at State Laboratory Institute Boston, MA. Responsible for making chemical reagents and media plates; operating and maintaining laboratory equipment (autoclave, pH meter, ultra-violet hood), and collecting safety data for laboratory protocols.

Training:

1985: Six week training with Senior Staff at Massachusetts Department of Public Health (MDPH) Drug Analysis Laboratory Boston, MA. Appointed Assistant Analyst MDPH

1987: One week training course in drug analysis given by the Federal Drug Enforcement Agency (DEA) McLean, VA.

1992: Training in Gas Chromatograph/Mass Spectroscopy (GC/MS) Hewlett Packard (Agilent)

1996: Training in Fourier Transform Infra-Red Spectroscopy ETA (Analect)

2001: Expert Witness Workshop National Laboratory Training network Quality Assurance/Quality Control Training (MDPH)

2002: Techniques of Supervision Training (MDPH)

1999: Notary Public Commonwealth of Massachusetts

DRUG RECEIPT

CC # [REDACTED]

BOOK # 72PAGE # 155

DESTRUCTION # _____

District/Unit C112FName & Rank of Arresting Officer Trull & DonahueID# 99725

DEFENDANT'S NAME

ADDRESS

CITY

STATE

DorchesterMA

DESCRIPTION OF ITEMS SUBMITTED

GROSS
QUANTITYGROSS
WEIGHT

LAB USE ONLY

ANALYSIS
NUMBERCrack Cocaine5 Rock IN3 Rocks
P/B's6.26g**To be completed by ECU personnel only**Name and Rank of Submitting Officer [Signature]ID# 9370Received by [Signature]Date 1-11-11

ECU Control # _____

No. [REDACTED]

Date Analyzed: MAR 21 2011

City: Boston D.C.U. Police Dept.

Officer: P.O. Diana Lopez

Def: [REDACTED]

Amount:

Subst: SUB

No. Cont: 3 Cont: pb

Date Rec'd: 01/11/2011

No. Analyzed: 1

Gross Wt.: 6.26

Net Weight: 0.21

Tests: 6 ASD

12/18

Prelim: Cocaine ©

Findings: Cocaine

SAMPLE # _____ AGENCY Boston ANALYST ADJ

Evidence Wt. _____

Gross Wt (g): 0.9620

Gross Wt (): 6.3396

Net Wt: 0.2131

Spot Tests

Mecke's

TLTA (-) +

GC/MS CONFIRMATORY TEST


MS
OPERATOR Des

Folk_OIG_PRR_045328

Area Percent / Library Search Report

Information from Data File:

File Name : D:\SYSTEM4\03_17_11\777166.D
Operator : DCS
Date Acquired : 18 Mar 2011 00:06
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : D:\SYSTEM4\03_17_11\777167.D
Operator : DCS
Date Acquired : 18 Mar 2011 00:19
Sample Name : COCAINE STANDARD
Submitted by :
Vial Number : 67
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.656	1262795	100.00	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : D:\SYSTEM4\03_17_11\777167.D
Operator        : DCS
Date Acquired   : 18 Mar 2011  00:19
Sample Name     : COCAINE STANDARD
Submitted by    :
Vial Number     : 67
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```


PK#	RT	Library/ID	CAS#	Qual
1	4.66	C:\DATABASE\SLI.L COCAINE	000050-36-2	99



Area Percent / Library Search Report

Information from Data File:

File Name : D:\SYSTEM4\03_17_11\777174.D
Operator : DCS
Date Acquired : 18 Mar 2011 1:56
Sample Name : BLANK
Submitted by : ASD
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : D:\SYSTEM4\03_17_11\777175.D
 Operator : DCS
 Date Acquired : 18 Mar 2011 2:10
 Sample Name : XXXXXXXXXX
 Submitted by : ASD
 Vial Number : 75
 AcquisitionMeth: DRUGS
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
1.993	133560	3.99	4.87
2.225	117033	3.50	4.27
3.891	351377	10.51	12.82
4.664	2741562	82.00	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : D:\SYSTEM4\03_17_11\777175.D
Operator        : DCS
Date Acquired   : 18 Mar 2011   2:10
Sample Name     : 
Submitted by    : ASD
Vial Number     : 75
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```

PK#	RT	Library/ID	CAS#	Qual
1	1.99	C:\DATABASE\PMW_TOX2.L		
		Cocaine-M/artifact -H2O	000000-00-0	96
		MDA-M (desmethylenyl-methyl-) ME @	000000-00-0	37
		Metipranolol-M/artifact AC	000000-00-0	23



Area Percent / Library Search Report

Information from Data File:



```

File Name       : D:\SYSTEM4\03_17_11\777175.D
Operator        : DCS
Date Acquired   : 18 Mar 2011   2:10
Sample Name     : ██████████
Submitted by    : ASD
Vial Number     : 75
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```

PK#	RT	Library/ID	CAS#	Qual
2	2.23	C:\DATABASE\PMW_TOX2.L		
		Cocaine-M (methylecgonine)	007143-09-1	97
		Cocaine-M (methylecgonine) AC	000000-00-0	40
		Cocaine	000050-36-2	36



Area Percent / Library Search Report

Information from Data File:



```

File Name       : D:\SYSTEM4\03_17_11\777175.D
Operator        : DCS
Date Acquired   : 18 Mar 2011   2:10
Sample Name     : 
Submitted by    : ASD
Vial Number     : 75
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```

PK#	RT	Library/ID	CAS#	Qual
3	3.89	C:\DATABASE\NIST98.L		
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	98
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	98
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	98



Area Percent / Library Search Report

Information from Data File:



```

File Name       : D:\SYSTEM4\03_17_11\777175.D
Operator        : DCS
Date Acquired   : 18 Mar 2011   2:10
Sample Name     : ██████████
Submitted by    : ASD
Vial Number     : 75
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```


PK#	RT	Library/ID	CAS#	Qual
4	4.66	C:\DATABASE\SLI.L COCAINE	000050-36-2	99



Area Percent / Library Search Report

Information from Data File:

File Name : D:\SYSTEM4\03_17_11\777181.D
Operator : DCS
Date Acquired : 18 Mar 2011 3:32
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : D:\SYSTEM4\03_17_11\777182.D
 Operator : DCS
 Date Acquired : 18 Mar 2011 3:46
 Sample Name : COCAINE STANDARD
 Submitted by :
 Vial Number : 82
 AcquisitionMeth: DRUGS
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.657	1269405	100.00	100.00

Area Percent / Library Search Report

Information from Data File:

```

File Name       : D:\SYSTEM4\03_17_11\777182.D
Operator        : DCS
Date Acquired   : 18 Mar 2011   3:46
Sample Name     : COCAINE STANDARD
Submitted by    :
Vial Number     : 82
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```

PK#	RT	Library/ID	CAS#	Qual
1	4.66	C:\DATABASE\SLI.L COCAINE	000050-36-2	99

